

The Boeing Company  
P.O. Box 516  
St. Louis, MO 63166-0516  
(314) 232-0232 TELEX 44-857

RECEIVED

AUG 18 1997

RCRA PERMITTING & COMPLIANCE BRANCH  
(RRCB)

1D # below  
Formerly McDonnell  
Douglas

13 August 1997  
464C-4138-JWH

MOD 000 818 963



Ms. JoAnn Heiman, Chief  
RCRA Permitting & Compliance Branch  
U.S. Environmental Protection Agency Region VII  
Air, RCRA and Toxics Division  
726 Minnesota Avenue  
Kansas City, Kansas 66101

Enclosure: Corrective Action Quarterly Progress Report-Second Quarter 1997

Dear Ms. Heiman:

The enclosed Quarterly Progress Report is submitted as required by Section XI. of the Corrective Action Conditions of the Hazardous Waste Management Facility Permit, Number MOD 000 818 963. Three copies of the report will also be submitted to the Missouri Department of Natural Resources as required under the terms of the permit.

Please contact me should you need additional information.

Sincerely,

A handwritten signature in cursive script that reads "Joe Haake".

Joe Haake, Group Manager  
Environmental and Hazardous Materials Services  
Dept. 464C, Bldg. 110, Mailcode S111-1099  
(314) 232-6941

JWH:kcb



R00064247  
RCRA Records Center

## **Quarterly Progress Report for Second Quarter 1997**

### **Description of the work completed**

During the second quarter of 1997 the Interim measures (IM) Work Plan was completed and submitted for approval. In addition, Environmental Science & Engineering, Inc. was selected to prepare the RCRA Facility Investigation (RFI) Work Plan. The plan was completed and submitted on May 30, 1997.

The SWMU #28 transformer was taken out of service and shipped off-site for destruction on June 12, 1997.

### **Summary of all findings**

None

### **Summary of all problems or potential problems and actions taken to rectify problems**

None

### **Projected work for the next reporting period**

Implementation of the IM Work Plan will begin during the Third quarter of 1997.  
Implementation of the RFI Work Plan will begin upon approval of the plan.

### **Instances of noncompliance with the corrective actions of the permit**

None